

Hands are vulnerable to a wide range of hazards in the work place including: cuts, blows, chemical attacks and extreme temperatures. With new industry manufacturing and handling processes involving these hazards there is a growing need for the use of "job fitted" gloves that meets each user's

EC Food Directive



Hand Protection Legislation

The general requirements of the European Protective Equipment Directive, 89/686/EEC, have been in force since 1995. This directive requires all protective gloves to be CE marked. The format of the CE mark depends on the category that applies to the glove.

Category 1 - Simple Design

Provides protection for minimal risk only - for use in areas where the risk is low and where effects of not wearing hand protection are easily reversible or superficial.

Category 2 - Intermediate Design
Covers other risks that are not defined by categories 1

Category 3 - Complex Design
Gloves that protect against risks that could result in irreversible injury or mortal danger

General Requirements of EN420 EN420 defines the general requirements for most types of protective gloves:

- Product and packaging information and marking
- Design and constructionFitness for the purpose

- SizingComfort and efficiency
- Innocuousness
- Storage



The higher the score, the better the performance. O represents a fail - X denotes no test was carried out.

Chem	Chemical and Micro-Organism EN374		
ENITE SERVICE STATE OF THE PROPERTY OF THE PRO	EN374-2 Resistance to penetration by micro-organisms. Referred to as acceptable quality level (AQL).	1-3	
€ 0120	EN374-3 Resistance to chemical hazards (permeation)	1-6	
Mech	anical Hazards EN388	Rating	
EN 388	a) Resistance to abrasion b) Blade cut resistance c) Tear resistance	0-4 0-5 0-4 0-4	
	d) Puncture resistance	0-4	
Prote	ction from Cold EN511	Rating	
Prote			
EN511	ction from Cold EN511 a) Resistance to convection cold b) Resistance to contact cold	Rating 0-4 0-4	

A. Yellow Rubber Gloves

- · Lightweight flock lined natural rubber glove
- · Slip-resistant pattern on palm offers good wet and dry grip
- · Rolled cuff for extra strength and prevention of liquid roll back
- · Flock lining absorbs perspiration and keeps hands cool
- · Suitable for food handling, cleaning and dish washing

Code	Size	Pkd
883565	Medium	1 pair
390042	Large	1 pair
378644	Medium	12 pairs
378652	Large	12 pairs

B. Blue Rubber Gloves

• CE categorised as CE Simple Design - for minimal risk only and conforms to the EC Food Directive EC/1935 2004

Code	Size	Pkd
174028	Medium	6 pairs



A. Clear Vinyl Gloves

Clear Vinyl Gloves Powdered

- CE categorised as CE Simple Design for minimal risk only and conforms to the EC Food Directive EC/1935 2004
- Suitable for use in a food hygiene environment

Clear Vinyl Gloves Powder-free

- Disposable gloves
- No latex proteins eliminates protein sensitisation
- Rolled cuff for additional strength and prevention of roll back
- Protection against contamination, dirt and irritants in low risk situations

Code	Size	Pkd
Powdered		
830461	Small	50 pairs
830488	Medium	50 pairs
174358	Large	50 pairs
Powder-fre	е	
4018297	Small	50 pairs
557994	Medium	50 pairs
558058	Large	50 pairs

B. Blue Vinyl Gloves

- Good protection for light general use
- Food safe
- Lightly powdered, eases donning and absorbs perspiration
- Rolled cuff for additional strength and prevention of liquid roll back
- AQL 4.0

Code	Size	Pkd
Powdered		
883573	Medium	50 pairs
882581	Large	50 pairs
Powder-free	9	
4018330	Medium	50 pairs
4018348	Large	50 pairs

C. Latex Gloves

- Powdered and powder-free latex disposable gloves
- Provides maximum dexterity, sensitivity and comfort
- Textured finish for improved grip
- Rolled cuff for additional strength and prevention of roll back

Code	Size	Pkd
Powdered		
4018369	Small	50 pairs
558065	Medium	50 pairs
558073	Large	50 pairs
4004755	Extra Large	50 pairs
Powder-fre	е	
4018353	Small	50 pairs
558081	Medium	50 pairs
558098	Large	50 pairs
4004740	Extra Large	50 pairs

D. Polyco Digit Gloves

- Powder-free polythene disposable gloves, reducing risk of contamination
- Textured surface improves grip
- Food safe

Code	Pkd
378685	50 pairs

E. Polythene Disposable Gloves


CE categorised as CE Simple Design

 for minimal risk only and conforms to

 the EC Food Directive EC/1935 2004

Code	Size	Pkd
4002860	Medium	50 pairs

























A. Nitrile Blue Disposable Gloves

- Advanced nitrile technology provides an exceptionally soft and pliable material
- No latex proteins eliminates protein sensitisation
- Free from residual accelerators, a cause of allergic dermatitis
- Ambidextrous and unique shape delivers a glove with improved fit

Code	Size	Pkd
Powdered		
4018376	Small	50 pairs
4018382	Medium	50 pairs
4018395	Large	50 pairs
125037	Extra Large	50 pairs
Powder-fre	e	
4036485	Small	50 pairs
378506	Medium	50 pairs
378514	Large	50 pairs
4004793	Extra Large	50 pairs

B. Polyco Bodyguards NITRILE Black Powder-free Exam Gloves

- Better puncture and abrasion resistance than natural rubber or vinyl
- Ideal for those who are sensitised to latex
- Rolled cuff for additional strength and prevention of liquid roll back

Code	Size	Pkd
378548	Medium	50 pairs
378555	Large	50 pairs

C. KLEENGUARD* G10 Nitrile Gloves - Arctic Blue

- CE categorised as CE Simple Design for minimal risk only and conform to the EC Food Directive EC/1935 2004
- Beaded cuff, maximum touch sensitivity, comfort and flexibility
- 0.05mm thickness
- Powder-free and natural rubber (latex)-free
- Textured fingertips for better grip
- PPE category 1 (CE simple) and approved for food contact

Code	Size	Pkd
165591	Medium	50 pairs
165608	Large	50 pairs

D. Medical Grade Nitrile Gloves

- · Made of a soft but tough stretchy nitrile material
- · Very strong and a high quality flexible glove
- Latex-free reducing the risk of hypersensitivity and allergic reactions
- Low in residual chemicals to reduce the risk of contact dermatitis associated with these chemicals

Code	Size	Pkd
4017988	Small	100 pairs
4018094	Medium	100 pairs
4018266	Large	100 pairs

E. Microporous Sleeve

- Cover type 6 splash protection
- · One size fits all
- Code
 Pkd

 376768
 25 pairs

F. Juba Ambidextrous Extra-strong Nitrile Gloves

- Patented double sided grip on palm and back and also inside for extra traction
- Ambidextrous can be worn on either hand
- No protein allergy issues
- Food safe
- Chemical Resistant
- Fits underneath oversleeves
- 100% nitrile
- No latex

Code	Size	Pkd
124868	8	12 pairs
124976	9	12 pairs

G. Disposable Blue Overshoes

Code	Size	Pkd
4018400	14 inches	1000 pairs
4018416	16 inches	1000 pairs

H. Disposable White Overshoes

- Microporous polypropylene fabric
- Type 6 (PB), EN13034 limited splash protection
- · One size

Code	Pkd
376742	25 pairs





new to range | Control | Foam | Post | Post

A. Red PVC Knitwrist Gloves

- Fully dipped working gloves with knitted wrist and cotton interlock lining have a smooth finish with excellent abrasion resistance
- · Cotton and PVC
- Conform to standards EN420 and EN388
- · Packed 12 pairs

Code	Size
374988	Large

B. Orange Grip Latex Gloves

- Seamless poly-cotton 10 gauge liner and knitwrist design eliminate bulky, uncomfortable seams, providing a better fit and breathability
- Polyester cotton and latex offer comfort and grip
- Comply to standards EN420 and EN388 $\,$
- · Packed 12 pairs

Code	Size
374954	Medium
886327	Large

C. Pu Palm Coated Gloves

- Ideal for packing, inspection, fine component assembly, delicate and precise operations
- Seamless liner no seams against worker's hand
- · Excellent levels of dexterity

Code	Size
124852	8
124961	a

D. Polyco Matrix P Grip Gloves

- Seamless knitted shell with a polyurethane palm coating
- Open-back style allows hand to breath
- · Tight fitting for maximum dexterity
- CE marked

Code	Size	Pkd
378588	8	12
378596	9	12
4004900	10	1

E. Juba Nitrile Foam Gloves

- · Econit nitrile foam coated gloves
- Excellent grip in dry, wet and oily conditions
- Nitrile foam channels oils and liquids away from surface
- 15 gauge nylon and lycra liner for maximum ergonomy
- Excellent resistance to abrasion

Code	Size
124854	8
124962	9









A. Keep Safe Red Cut Resistant Gloves

- PU Coated Cut Level 1 Red Glove
- · Ideal for intricate handling
- Lightweight application in dry environments
- Offers outstanding comfort, fit and sensitivity
- · High abrasion resistance
- · Seamless, knitted red nylon liner

Code	Size
124855	8
12/1965	a

B. Keep Safe Orange Cut Resistant Gloves

- PU Coated Cut Level 3 Orange Glove
- Ideal for heavier duty handling in light engineering conditions and assembly applications
- Polyurethane coating to palm and fingers offers good grip
- High abrasion resistance
- Seamless knitted orange liner
- · Elasticated knit wrist for a snug fit

Code	Size	
124856	8	
124966	9	

C. Keep Safe Green Cut Resistant Gloves

- PU Coated Cut Level 5 Green Glove
- Ideal for applications where fine handling and robust performance are a requisite
- Lightweight polyurethane coating enhances grip and abrasion protection
- Knitted wrist for secure fit
- · Open back design for extra comfort and breathability

Code	Size
124860	8
124967	9

D. Juba Smart Tip Nitrile Coated Gloves

- Smart Tip Nylon with foam nitrile coating
- H4120 SMART TIP technology allows handling touch screens using the index, thumb and middle finger while keeping the glove on.
- Light and flexible Ergonomic seamless glove Nitrile technology gives breathability
- Provides good grip in oily conditions
- · Good mechanical resistance

Code	Size
124862	8
124969	9

E. Juba Agility Nitrile Coated Gloves

- 5112 Nitrile dots finish to improve grip
- Foamed nitrile channels oils and liquids away from surface
- · Superb wet grip
- Outstanding abrasion resistance
- Longevity, durability

Code	Size
124863	8
124973	9





A. Work Gloves

Polka Dot Gloves

- · Enhanced grip with excellent dexterity
- Seamless 13 gauge knitted nylon with PVC dotted palm
- CE cat 1
- Conforms to EN388 and EN420

Knitted Grip

 High grip, PVC lattice finish on a knitted base provides a high level of dexterity

Rigger Style

- All-purpose gloves made to handle all those rugged, heavy jobs
- Tough leather palm and cotton back for total flexibility
- 51mm (2") cuff provides added protection

Code	Size	Pkd
Polka Dot G	Bloves	
374995	Medium	12 pairs
375000	Large	12 pairs
Knitted Gri	р	
134976	One Size	1 pair
Rigger Styl	e	
886300	One Size	1 pair

B. Wonder Grip AQUA Waterproof Gloves

- Wonder Grip AQUA incorporates a 13 gauge nylon liner and is fully coated with latex on the back of the hand
- · Comfortable and completely waterproof
- Latex double back coating
- Suitable for dry, wet or water applications
- · Excellent dexterity, flexibility and comfort
- · Colour: Blue

Code	Size	Pkd
124864	8	1 pair
12/07/	0	1 nair

C. Polyco Hot Gloves

- Contact heat-resistant to 250°C
- Double layered cotton for extra protection and durability
- NITRILE grip pattern offers good grip

Code	Size	Pkd
378700	9	1 pair









Why choose 3M?

As one of the world's leading suppliers of Personal Protective Equipment our goal is to ensure that we satisfy your needs through the provision of exceptional leadership, expertise, quality and service excellence.

We believe that health and safety is first and foremost about safeguarding worker welfare. A secure, safe working environment is paramount in any business. But we also believe that improving worker protection, comfort and productivity is a more ambitious goal. One we firmly believe in.

By working in association with skilled safety practitioners, partners and customers, our people are committed to ensuring that we help you create an environment that protects your workforce - effectively, efficiently and economically.

3M[™] Fit Testing Service

Do you have workers who wear tight fitting respirators that rely on a seal with the face such as Disposable, Half Mask or Full Face Masks (including those fitted to a powered respirator)?


3M can offer both Qualitative and Quantitative Fit Testing

The 3M Fit Testing Service is provided by Fit2Fit accredited personnel on the employers site at a day/time suitable to the employer. The Fit2Fit accreditation scheme is a BSIF initiative supported by the HSE which ensures fit testers can conduct a fit test to the level of competence required in the HSE guidance note 282/28. Fit testing will be conducted in a professional and friendly manner which is important when coaching and reassuring employees.









A. 3M[™] Optime[™] I, II, III Headband Ear Defenders

- For moderate to high noise attenuation
- · Low profile and light, making it easy to team with other equipment
- · Generous inside depth to help the ears rest comfortably
- Soft and wide sealing rings filled with a unique combination of foam and liquid, providing optimum sealing and low pressure



Optime™ I - SNR 26dB 262915



Optime™ II - SNR 30dB 170975



Optime™ III - SNR 34dB 273161

B. 3M™ Peltor™ Ear Defenders - A new standard in design, comfort and protection



Peltor™ X1 - SNR 27db

- The 3M[™] Peltor[™] X1 Ear Defenders offer protection against light industry noise. For example, grounds maintenance or power drilling
- Moderate attenuation (SNR 27dB) that meets the needs of most industrial applications





Peltor™ X2 - SNR 31db

- The 3M[™] Peltor[™] X2 Ear Defenders offer protection against moderate to high noise levels. For example, roadworks or construction
- High attenuation (SNR 31dB) that meets the needs of most industrial applications





Peltor™ X3 - SNR 33db

- The 3M™ Peltor™ X3 Ear Defenders offer protection against high noise levels. For example, forestry or heavy engineering
- High attenuation (SNR 33dB)
 124903



Peltor™ X4 - SNR 33db

- The 3M[™] Peltor[™] X4 Ear Defenders offer protection against high noise levels, whilst maintaining a sleek, low profile
- High attenuation (SNR 33dB)124906



Peltor™ X5 - SNR 37db

- The 3M Peltor X5 Ear Defenders offer protection against extremely high noise levels. For example, airports, quarrying or paper mills.
- Unparalleled attenuation (SNR 37dB)



Hearing Protection

HSE Control of Noise at Work Regulations

The Control of Noise at Work Regulations 2005 came into force for all industry sectors in Great Britain on 6th April 2006 (except for the music and entertainment sectors where they came into force on 6th April 2008). The aim of the Noise Regulations is to ensure that workers' hearing is protected from excessive noise at their place of work, which could cause them to lose their hearing and/or to suffer from tinnitus (permanent ringing in the ears).

The level at which employers must provide hearing protection and hearing protection zones is now 85 decibels (daily or weekly average exposure) and the level at which employers must assess the risk to workers' health and provide them with information and training is now 80 decibels. There is also an exposure limit value of 87 decibels, taking account of any reduction in exposure provided by hearing protection, above which workers must not be exposed.

More information can be found at www.hse.gov.uk/noise

HMI

HML is High, Medium and Low and is literally how the protector performs at high, medium and low frequencies. The values (attenuation level) of each will be found on the packaging of the hearing product you purchase. A SNR of 30 will not necessarily give a 30 decibel attenuation at all frequencies.

Rule of Thumb

When it is necessary to shout in order be heard three feet away, the noise levels may be 85 decibels or more. Hearing protection must be made available to employees where sound levels are at or above 80 decibels, and strictly enforced where the sound levels reach or exceed 85 decibels.

Products comply to EN352.

Noise Thermometer

Sound Energy Doubles Every 3dB

	Apollo Lift-off 188dB
160dB	Immediate physical damage
П	Jet Engine Take-off 150dB
140dB	Maximum allowable exposure
П	Impact Drill 130dB
130dB	Immediate pain threshold
	Oxygen Torch 121dB
120dB	Short exposures at this level may cause hearing damage
	Impact Wrench 102dB
100dB	Extremely loud
	Forklift 87dB
85dB	Protection MUST BE PROVIDED above this level
	Hand Saw 85dB
80dB	Protection recommended for 8-Hour exposures above this level
	Vacuum Cleaner 74dB
75dB	Non-Hazardous
C	}

A. Economuff

- · Lightweight and robust ear defender
- · Cost-effective protection
- Durable high impact polystyrene
- 23dB SNR
- Colour: Red/Black

B. KEEPsafe Cyclone Ear Muff

- Acoustic foam fill good effective protection across wide range of frequencies
- For manufacturing industries, agriculture, construction sites, food industry, engineering
- 27db SNR
- · Colour: Blue



C. 3M™ E-A-R® 1436 Ear Muff

- · Cushioned headband for maximum comfort
- 27dB SNR
- · Colour: Orange



886297 124897 170968

D. KEEPsafe Moulded Reusable Earplugs

- Moulded, reusable earplugs
- 29db SNR
- Packed 200



E. KEEPsafe Banded Semi-Aural Earplugs

- · Semi-Aural banded earplugs
- · Day long protection
- Ideal disposable protectors for visitors
- · 21db SNR
- Packed 40



124896



Buying Guide

Sound Levels/ Noise Meters

Part of your risk assessment should involve understanding the level of noise within your work environment. Sound measuring systems can be used to help employers/ employees select the appropriate type of hearing protective equipment for use in areas of the workplace. The fitting of hearing protection products is just as important as establishing the total noise level.

Dispensers

An ideal solution for where hearing protection is required all the time at a fixed location within the workplace.

Foam Earplugs

Made from expandable slow recovery foam that helps provide the best combination of comfort and protection for most users. Typically foam plugs are rolled down prior to insertion where the foam plug expands to provide a snug and secure comfortable fit. Generally seen as a disposable product.

Made from flexible materials that are preformed to fit the ear canal. These reusable ear plugs are comfortable, hygienic and economical. Hygienic carrying case made available with some products.

Detectable Earplugs

Available to buy in either a foam or a moulded finish. The ear plug is fitted with a choice of detectable components (steel ball bearing or a non-ferrous filter) finished with a visible non food blue detectable cord. Hygienic carrying case made available with some products.

Banded Semi-Aural Earplugs

Can be finished in either a foam or moulded tip. Ideal for intermittent use as they are quick to put on and take off as well as being easy to store around the neck. They provide less protection than either plugs or ear muffs and are not usually recommended for continuous long-term wearing.

Ear muffs have rigid cups with soft plastic cushions that seal around the ears to block out noise. The cushions are foam filled which are seen to be lightweight and durable.

A. Economy Earplugs

- Self-adjusting to minimise pressure on ear canal and noise protection
- · Conforms to EN352-2
- 33db SNR
- · Packed 200



886386 Corded Earplugs 886394

B. KEEPsafe Orange Earplugs

- Soft PU Foam
- · High level of attenuation
- · 37db SNR Packed 200



124889 Corded 124892

C. KEEPsafe Metal Detectable Earplugs

· Soft PU foam, disposable · High attenuation Packed 200



124893 Moulded Metal Detectable - SNR 30db 124895

D. 3M™ 1100 Earplugs with One-Touch™ Dispenser

- Wall-mounted solution with two options for providing hearing protection
- · Roll down earplugs offer great comfort and good protection with a convenient one-touch dispenser
- · Soft hypoallergenic foam material for lower pressure inside the ear
- · Smooth, dirt-resistant surface for better hygiene, durability and comfort
- Assembled as a kit: for complete kit purchase the One Touch Dispenser base and the earplug dispenser bottle
- · Bottle contains 500 pairs of earplugs and connects to the one-touch dispenser
- · Earplug refill boxes of 500 pairs for dispenser bottles also available



One-Touch Earplug Dispenser Base Unit only 273178



1100 Dispenser Bottle 273186



1100 Earplug Refills 291507



Head Protection

Workplace (Health, Safety & Welfare) Regulations 1992 require the provision of safety equipment from falling objects where the risk of falling objects or areas of restricted head space cannot be eliminated. Safety should be provided in the form of safety helmets or bump caps when working in restricted spaces where bump hazards are possible.

Standards - All safety helmets are CE marked and meet EN397 standard.

All Bump Caps meet EN812 standard to provide the wearer protection against the effects of striking head/ scalp against hard or sharp stationery objects.

Helmet life - Helmets are designed to have an in-use life of up to 5 years from the date of storage removal. Excess wear and tear and extreme environments can considerably reduce the lifespan. In these cases it is recommended to replace every



















A. 3M™ G2000 Solaris Safety Helmets

- · Ventilation allows free air flow between the helmet and its harness
- Peltor Uvicator Technology indicates when it's time to replace your helmet by changing the disc colour
- · Extended edge on the rear provides extra protection for the sensitive neck area
- Meets European standard EN397 with approved extra requirements for lateral deformation (LD), molten metal splash and low temperature (-30°c)

Code	Colour
170918	White

B. HDPE Helmet Poly/Slip MK1

- · Shell manufactured from UV stabilised HDPE
- Fully adjustable slip ratchet headband
- · Light and comfortable to wear

Code	Colour
886262	White
373456	Yellow
373464	Blue

C. HDPE Helmet MK2

- Poly/slip ratchet
- 6 Point harness
- · Helmet mounted accessories can be fitted
- · Conforms to EN397, ANSIZ89, EN50365

Code	Colour
4004358	White

D. Centurion Reflex Plus Helmet

- The Reflex helmet has been designed with Safety and Comfort in mind
- · High Density Polyethylene (HDPE)
- · 6-Point Black Terylene Harness with a brushed nylon sweatband

Code	Colour
12/1870	White

E. Scott® Comfort Plus **HC300EL Helmets**

- · The Style 300 is a stylish and comfortable safety helmet design weighing just 310g
- · Manufactured from high-density polyethylene, the helmet is available in either an eight point Terylene or Plastic head gear
- · The helmet is durable, well balanced and has an extensive range of accessories, such as face protection and hearing protection that easily connect to the helmet shell maintaining comfort and maximising protection for the wearer
- · The design also provides a rain gutter, making it well suited to applications in exposed environments
- Premium Grade HDPE
- · Lightweight, comfortable to wear for a full shift
- Stable and balanced

Code	Colour
124877	Orange
124869	Red
124870	White
124872	Green
124871	Blue
124876	Yellow



Head Protection

Identifying Hazards

A safety helmet is required in almost every industry where there is a risk of being injured by falling objects. In areas of restricted head space where accidental bumping of the head could be involved (e.g. overhead piping) a scalp protector (bump cap) should be considered. Bump caps are not a substitute for safety helmets and must not be used to protect the head from falling objects.

Identifying Materials

Shells are primarily made using UV stabilised high density polyethylene (HDPE) or ABS (Acrylonitrile Butadiene Styrene). Harnesses are made using low density polyethylene or textile webbing.

Care and Maintenance

A helmet may be cleaned with soap and water, drying with a soft cloth. A helmet should not be cleaned with abrasive substances or solvents and must not be stored in direct sunlight or in contact with chemicals. The wearer should inspect their helmet regularly. Any helmet showing more than superficial abrasions or scuffing to the shell should be replaced.

To comply with European Standards, all helmets are marked with the quarter or month and year of manufacture. If helmets are stored in boxes in which they were supplied and do not experience environmental extremes, the shelf life of a helmet is not limited. However, it is not recommended that a helmet should be in use five vears after date of manufacture.

So What Are The Differences?

A helmet is not just a helmet. They have many different features providing specific user benefits, such as:

- Weight: Some helmets are lighter than others. A lightweight helmet may provide more comfort during prolonged periods of use Cradle: A helmet can have either a basic polyethylene cradle or a more
- comfortable textile webbing cradle
- Sweatband: A helmet can have either none, a standard or a high absorbent
- sweatband for improved comfort during use Ventilation: Some helmets are ventilated, providing cooling airflow during use
- · Badging: Some helmet designs allow for a larger front badging area, for an enhanced corporate image
- Peaks: Peak lengths can vary a reduced peak gives improved upward visibility
- Retro-Reflective Surfaces: Reflective surfaces that provide greater visibility of the wearer in low light conditions



A. Hard Cap

- · Only bump cap to exceed the A1+ variant of EN812
- · Sleek, low profile in two peak sizes
- · Removable protective liner
- Unique one-handed angled adjuster, giving true 'one size fits all'
- Ventilated
- · Reflective piping adds extra visibility

Code	Colour
Short Peal	< 50mm
373601	Black
Standard F	Peak 70mm
373545	Navy
373553	Black

B. Scott® HC23 Safety Bump Cap

- · First Base 3 Designed to maximise comfort and user appeal, the safety baseball cap is the result of over five vears product development in head bump protection
- Patented flexible shell design, manufactured from durable ABS plastic breathable cap fabric and high levels of ventilation reduces heat stress and improves wearer comfort
- · Unique semi-elastic size adjustment improves the security of the cap on the head, with a size range of 52-65 cm
- Fully machine-washable with plastic inner peak
- Closed cell soft foam pad, with wide and absorbent terry towelling sweatband

Code	Colour
124880	Navy
124884	Black
124885	Hi-Vis Orange
124887	Hi-Vis Yellow
124888	Red

C. Mob Cap

- Unisex personal protection disposable mob caps
- · Elasticated, one size
- Polypropylene
- · Blue
- · Wrap/reach compliant

Code	Pkd	
545885	100	





Eyewear Protection

Eye protection is a requirement under regulation 4 of the Personal Protective Equipment at Work Regulations 1992 when at risk in a hazardous area. Industry standard is EN166 for impact and offers various levels of protection, which are indicated. Employers must provide Personal Protection Equipment that has been tested and is suitable for the wearer and exposure to the hazard in question. Safety spectacles/glasses are intended to protect against low energy impact from flying debris and objects. They do not protect against gas or molten metal nor do they keep out dust. Safety goggles will offer protection against medium energy impact and high levels of explosive force. They can also protect against dust, gas and chemical splash if indicated. Safety faceshields offer full face protection against flying particles and chemical splash. They also remain mist-free through temperature changes.

Compatibility

Eye protection often needs to be worn in conjunction with other protective equipment such as head, hearing and respiratory protection and it is essential that comfort and fit with other PPE is maintained. Compatibility with other PPE will be subject to a number of variable factors which require the employer and end user to conduct an appropriate selection depending on individual needs.



European Standards EN 166

To assist you in your understanding of markings on Eye Protection Products covered by this Standard you should note:

Optical	Standard:	Frame	Len
Class 1:	For continuous work	-	1
Class 2:	For intermittent work	-	2
Class 3:	For occasional work, but must not be worn continuously	-	3
Mechar	nical Properties:		
	d Robustness (General Purpose)	-	S
High Ene	ergy Impact (190m/sec)	Α	Α
Medium	Energy Impact (120m/sec) Grade 1	В	В
Low Ene	rgy Impact (45m/sec) Grade 2 F F		
Increase	d Robustness – General Purpose		
Impact-F	Performance at Extremes of Temperature	Т	Т
Areas c	of Use:		
Liquids (d	chemical)	3	-
Large Di	ust Particles	4	-
Gas and	Fine Dust Particles	5	-
Short Circuit Electric Arc		8	-
Molten N	Metals and Hot Solids	9	9
Optiona	al:		
Resistan	ice to Misting/Fogging	-	Ν
Resistan	ice to Mechanical Damage (Anti-Scratch)	-	Κ
out on e	"A", "B", "F" and "S" markings on frame and lens represent ach component and therefore may be different – in whicl rel must be assigned to the complete unit when making a nent.	n case th	
	Welding Filters		
	Ultra-Violet Filters		
	Infra-red Filters		
EN 172	Solar Protection Filters for Industrial Use		
EN 175 Welding Work Equipment			

A. Spectacles



Visispec

- · Excellent value for money
- Clear polycarbonate lens and temples
- · Design doubles as visitor spectacles

886378



Wraparound

- · Wraparound traditional style eye shield for wide vision and complete protection
- · Moulded nose piece for added comfort
- · Side shields and adjustable arms with cord attachment point

886351



Overspec

- · Suitable for use over prescription eye wear
- · Deeper box style
- · Extended wraparound single polycarbonate lens and temples

373723

B. KEEPsafe 5x3 Safety Specs

- · Exclusive UDC Coating
- · Lens with FLD (Floating Lens Design) technology
- · Frame engineered to cushion the contact points on the face
- Extended 9 base wrap-around lens provides extra coverage around the eyes
- · Ventilation system
- · Fits the face without adjustments



EN 207 Laser Protection Eyewear EN 208 Laser Adjustment Eyewear





- Extended impact protection spectacles
- Deeper box style extended wraparound
- · Polycarbonate lens and temples
- · Suitable for use over prescription eyewear
- · Conforms to EN166.1.F

4004499

B. 3M™ Classic Line Over Spectacles

- Can be worn over most prescription glasses and are ideal for visitors
- · Impact-resistant
- · Optical class 1 for high optical clarity
- Polycarbonate lens provides reliable protection
- Integral brow guard for increased confidence
- · Lightweight and comfortable

170942

C. 3M™ Classic Line Safety Spectacles

- Comfortable and lightweight spectacles in a sporty design
- Slim nose bridge and flat temple guards for improved compatibility with other equipment such as a safety helmet
- Anti-scratch and anti-fog lenses

884421

D. 3M™ Virtua AP Specs

- Polycarbonate lens with a hardium casing provides extreme protection from abrasion
- 100% protection against UV radiation and impact
- Contoured wrap-around lens shape for maximum eye coverage
- 10D base curve lens for superior field of vision
- Lightweight spectacle (only 24g)
- · Slim temples, ideal for use with ear defenders
- Clear lens visible light transmittance 92%, grey lens 28%

Code	Lens Colour
262956	Clear Lens
262964	Grey Lens

E. Bolle Contour Safety Specs

- Incredibly lightweight (21g) with TPE bridge and temples
- Market leading levels of fit, comfort and protection
- Integrated side shields with exceptional field of view over 180 degrees
- Supplied with a free microfibre bag

Code	Lens Colour
124846	Clear
124847	Smoke

F. Bolle Silium Safety Specs

- · Optimal protection and panoramic vision
- Anti-scratch and anti-mist lens
- Optical class 1 polycarbonate lens
- Integrated side shields
- 160 degree flex sports temples with spring joints
- Soft adjustable non-slip nose pads
- Tip Grip system for improved fit
- · Silver frame

Code	Lens Colour
124843	Clear
124844	Smoke





A. Wraplite Safety Spectacles

blocks 99.9% of ultraviolet radiation new to range

Wraplite M9400

- Single Lens Wraparound
- · Comfortable and lightweight lens design
- · Excellent visibility
- Blocks 99.9% of ultraviolet radiation
- · Conforms to EN166.1.F

4004508

C. Martcare® Sports Glasses

- · Soft flexible nose pad
- Rubber temple tops ensure a comfortable fit and reduce slippage
- Dual curved lenses provide uncompromised wide vision and protection
- · Blocks 99.9% of ultraviolet radiation






D. Uvex Pheos Safety Glasses

- Modern, fashionable safety spectacle design
- · Duo-spherical lens with Uvex Supravision lens coating technology
- Rimless spectacles with wide field of vision
- Scratch-resistant on the outside
- · Anti-fog on the inside

Metal-free



B. Stealth 7000 Safety Spectacles





these safety glasses are scratch-resistant on the outside & anti-fog on the inside!



Smoked Lens 124842

Grey Lens 373804

Clear Lens



A. 3M™ Safety Goggles



3M™ Safety Goggles

- High comfort splashproof goggles offering resistance against liquid droplets, dust and molten metal
- Broad and fully adjustable headband for optimum fit and reliable protection
- · Anti-mist and scratch-resistant lenses
- Can be worn over most prescription glasses 170950

B. Safety Goggles



Safety Goggles

- Compact and lightweight square goggles
- · Large internal volume for comfort
- Protects against liquid, dust and medium energy high-speed particles
- · Integral ventilation ports
- · Polycarbonate lens and PVC frame
- Optical qualities of the lens comply with the requirements of optical class 1

373820

C. Impact Goggles



Impact Goggles

- Compact and lightweight goggle
- · Tough polycarbonate lens
- · Offers high resistance to impact from flying particles
- · Vented body
- · Cost effective PVC frame

373812



protection for the whole face from an 8" clear polycarbonate visor!

D. Visors

- Protects face against harmful substances and particles
- Browguard with elasticated headband
- Unbound 20cm (8") clear polycarbonate visor

Code	Description
124848	Browguard
124850	Replacement Visor







Respiratory Protection

Under current legislation, employers are responsible for providing suitable personal protection to employees who need it when all other hazard factors have been eliminated, providing proper adequate selection, fitting and training in its use, maintaining the equipment in good order, keeping maintenance records, and replacing when necessary. Respiratory protective equipment may appear daunting, with multiple factors to consider; - the equipment needs to not only provide appropriate protection for the job, but also be comfortable enough for the individual user to wear during the whole period of exposure.

The selection of Respiratory Protection Equipment follows a basic steps method:

- Identify the hazards dust, mists, metal fume, gas, vapour, etc
- · Assess the risk assess the hazard and exposure levels against safety standards and consider other protection requirements eg. skin and eyes
- · Select the right respirator disposable, half mask, full face, powered or airline
- Training in fitting and use to optimise respiratory protection

FFP1 Respirators

Low level fine dust/oil or water based mists (hand sanding, drilling and cutting). Identified by YELLOW straps.

APF 10

Moderate level fine dust/oil or water based mists (plastering, cement, sanding and wood dust). Identified by BLUE straps or valve lettering.

FFP3 Respirators

Higher level fine dust/oil or water based mists (hazardous pharmaceutical powders, biological agents and fibres). Identified by RED straps or valve lettering.

Classification explained

When currently used by a wearer who has passed a face fit test, an FFP1 respirator should reduce exposure to airborne particles by a factor of four, FFP2 by a factor of 10 and an FFP3 by a factor of 20.

A. JSP FilterSpec Spectacles & Goggles

- · Stylish design with fully adjustable spectacle frame for maximum comfort and security
- · One-piece lens offers optimal coverage
- Anti-mist and anti-scratch lens coatings as standard
- · Disposable filter mask element for optimum protection
- Re-usable filter holder element for an economic PPE solution
- · Exhale valve fitted for increased filter element longevity
- Each product comes supplied with three filter elements
- · Spectacles have removable, replaceable elastic strapping

Code	Colour	Pkd
Goggles w	ith FMP2 Valve F	ilter
374046	Black	1
Replacem	ent Filters	
374038	White	10
374054	Black	10







374038

374054

respirators



B. KEEPsafe FFP1 Unvalved Disposable Masks

- · Protection against fine non-toxic dusts and fumes.
- · Suitable for use with dusts generated from construction, brick and clay dust, sanding and agricultural uses such as with animal feeds, grain, hay and pollen.

Code	Pkd	
124909	20	





C. 3M™ FFP1 Dust Respirators

- · Reliable, effective protection against fine dust particles
- · Durable collapse-resistant inner shell
- · Excellent fit over a wide range of face sizes provided by convex shape, nose clip and twin strap design
- 3M™ Cool Flow offers the additional comfort of reduced heat build-up through easy exhalation, to improve comfort in hot and humid conditions (valved product only)
- CE marked

Code	Description	Pkd
133989	Unvalved - 8710E	20
134007	Valved - 8812	10



D. Foldflat FFP1 Masks

- Liahtweiaht 2a
- · APPLICATIONS: mining, construction, iron and steel industries.
- · Protects against softwood dust, aluminium, gypsum, graphite, magnesium oxide, platinum, coal and many other general hazards
- Ergonomically shaped for comfort and ease of use
- · Adjustable head straps to provide individual fit and nose clip to ensure good seal around nose
- Assigned Protection Factor: 4

Code Pkd Foldflat FFP1 Masks 124915 20

Exhalation valve added for easier breathing



FFP2 respirators



A. KEEPsafe FFP2 Disposable Respirator

- Suitable for use as FFP1 plus aluminium oxide, zinc oxide dust, cement dust, grinding, agricultural mining and petrochemical industries
- Protection against fine toxic dusts, fibres and aqueous mists
- · Assigned Protection Factor: 10

Code	Pkd
124910	20



D. KEEPsafe FFP2 Valved Respirator

- Suitable for use as FFP1 plus aluminium oxide, zinc oxide dust, cement dust, grinding, agricultural mining and petrochemical industries
- Protection against fine toxic dusts, fibres and aqueous mists

Code	Pkd	Price
124911	10	£7.61



B. Respair FFP2 Unvalved Flat Respirator

- Protects against wood dust, aluminium, gypsum, graphite, magnesium oxide, platinum, coal, lead, chrome, silica, welding fumes and many other general hazards
- Ergonomically shaped for comfort and ease of use
- Adjustable head straps to provide individual fit and nose dip to ensure good seal around nose
- · Assigned Protection Factor: 10

Code	Pkd	
124917	20	



E. Respair FFP2 Valved Fold Flat Respirator

- Adjustable head straps to provide individual fit and nose clip to ensure good seal around nose
- Ergonomically shaped for comfort and ease of use
- · Exhalation valve added for easier breathing
- Assigned Protection Factor: 10

Code	Pkd	Price
124919	10	£21.99



C. 3M™ FFP2 Valved Respirator

- · Reliable, effective protection against fine dust particles
- · Durable collapse-resistant inner shell
- Excellent fit over a wide range of face sizes provided by convex shape, nose clip and twin strap design
- 3M™ Cool Flow offers the additional comfort of reduced heat build-up through easy exhalation, to improve comfort in hot and humid conditions (valved product only)
- CE marked

Code	Pkd	
134023	10	



FFP3 respirators



F. KEEPsafe FFP3 Valved Respirator

- Protection against very fine toxic dusts, fibres, aqueous mists, oil mists, welding fumes (not nitrate gases), microbiological hazards
- For use in pharmaceutical, iron, steel, construction industries
- Exhalation valve lessens heat build-up, greater comfort
- · Assigned Protection Factor: 20

Code	Pkd	
124914	5	



G. 3M™ FFP3 Valved Respirators

8835

- Reliable, effective protection against fine dust particles
- Durable collapse-resistant inner shell
- Excellent fit over a wide range of face sizes provided by convex shape, nose clip and twin strap design
- 3M™ Cool Flow offers the additional comfort of reduced heat build-up through easy exhalation, to improve comfort in hot and humid conditions (valved product only)
- CE marked
- Soft face piece sealing ring increases wearer comfort and improves face seal

Code	Pkd
262948	5



H. Respair FFP3 Valved Fold Flat Respirator

- Protects against softwood dust, aluminium, gypsum, graphite, magnesium oxide, platinum, coal and many other general hazards
- · Ergonomically shaped for comfort and ease of use
- Adjustable head straps to provide individual fit
- Adjustable nose clip to ensure good seal around nose
- Exhalation valve added for easier breathing
- Assigned Protection Factor: 20

Code	Pkd	
124922	10	









Convenience Respirators

Where the respirator is used for more than one shift, and disposed of within a month, record keeping is not required under Coshh.

The only maintenance, apart from daily visual inspection, is the cleaning of the face seal for hygiene requirements.

A. Elipse Half Mask P3

- · Perfect for everyday use in construction and utilities
- · Twin filter
- · Comfortable to wear for long periods of time
- · Suitable against silica dust
- · Weighs less than 135g with filters

124925

B. Elipse P3 Replacement Filters

- · Replacement filters for product 124925
- · Packed 2

124927

C. Elipse Half Mask Respirator AI - P3

- Designed to protect against solid and liquid particles such as dusts and mist
- · Twin filter ready to wear
- · Comfortable to wear for long periods
- · Conforms to EN140:1998 and EN14387:2004
- With P3 APF:20.

124928

D. Elipse AI - P3 Replacement Filters

- Replacement filters for product 124928
- Packed 2

124929

E. 3M[™] 4000 Series Reusable Half Mask 4251

- A1-P2 Mask
- Maintenance free design for maximum safety and simplicity
- No maintenance records are required if disposed of within one month
- Replace after 28 days or when damaged, breathing resistance increases or breakthrough occurs, whichever occurs first 2 large bonded carbon filters for low breathing resistance
- Low profile design for better peripheral vision
- Low resistance parabolic valve to reduce heat build-up
- Soft and non-allergenic face piece material $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1$
- · Easy to fasten neck strap
- FFA1P2R D

124923

F. 3M[™] 4000 Series Reusable Half Mask 4255

- A1-P34 Mask
- Maintenance free design for maximum safety and simplicity
- No maintenance records are required if disposed of within one month
- Replace after 28 days or when damaged, breathing resistance increases or breakthrough occurs, whichever occurs first
- 2 large bonded carbon filters for low breathing resistance
- Low profile design for better peripheral vision
- Low resistance parabolic valve to reduce heat build-up
- Soft and non-allergenic face piece material
- Easy to fasten neck strap
- FFA2P3R D



Your helpful Guide To Clothing

When considering the use of clothing to protect the wearer during a specific task or situation the following standards are in place where appropriate, which should ensure protection to a specified level.

CE levels of simple, intermediate and complex design for limited life clothing.

EN465 - Protective dothing FN343 - Waterproof clothing EN531 - Clothing for industrial workers exposed to heat, excluding fire fighters and welders

EN470 - Clothing for welding and allied processes

EN471 - High visibility clothing for use on roads, highways and rail
EN342 - Clothing for cold conditions

Leg sizing available for trousers

Regular leg - 31" Tall leg - 33"



 65% polyester and 35% cotton Weight: 165g

Code	Size
Navy	
374540	Small/Medium
374598	Large/Extra Large
Royal Blue	
374613	Small/Medium
374621	Large/Extra Large

B. Mob Cap

- Personal protection disposable mob caps
- · Unisex elasticated, one size
- Polypropylene
- Blue
- Wrap/reach compliant

Code	Pkd	
545885	100	

C. Snood Cap

- · Snood cap with peak
- Made from white polypropylene

Code	Pkd	
105560	100	

D. Hygiene/Warehouse Coat

- · Back vented for extra comfort, concealed stud front, two lower patch pockets and a single chest pocket
- Excellent dye retention and fully pre-shrunk, this modern workwear coat will retain its fresh look wash after wash

Weight: 245g

Code	Size
Navy	
374428	Medium
374435	Large
374443	Extra Large
White	
374508	Medium
374524	Large
374532	Extra Large

E. Microporous Sleeve

- · Cover type 6 splash protection
- · One size fits all

Code	Pkd
376768	25 pairs















A. Men's Polo Shirts

- Pique knit polycotton fabric which is soft to touch and comfortable to wear
- Includes a rib knitted collar and cuffs, matching buttons and three button placket
- · Ideal for corporate, general work and leisure wear
- 65% polyester and 35% cotton

Code	Size
Navy	
376483	Medium
376491	Large
376548	Extra Large
Black	
376556	Medium
376564	Large
376572	Extra Large
White	
376580	Medium
376598	Large
376638	Extra Large

B. Ladies' Polo Shirts

- · Classic ladies' polo shirt
- Beautifully fitted and ideal for personalisation
- · Style will meet all your workwear needs
- 65% polyester and 35% cotton
- Navy

Code	Size	
558332	12/14	
558340	16	
558358	18/20	

C. Argyll Heavy Fleece

- Ideal for most seasons due to the traditional, uncomplicated design and quality anti-pill finish
- 400g fleece is comfortable to wear and ensures that heat is locked in
- Zipped pockets
- 100% polyester

Code	Size	
Navy		
376378	Medium	
376386	Large	
376394	Extra Large	
Black		
376401	Medium	
376468	Large	
376475	Extra Large	

D. Sweat Shirt

- Comfortable, ideal for weekend wear or workwear
- Classic crew neck, relaxed fit and ragian sleeve for greater freedom of movement
- 65% polyester/35% cotton
- Navy

Code	Size
376645	Medium
376653	Large
376661	Extra Large

E. Body Warmer

- Comfortable and roomy with a mobile phone pocket and internal top pocket with zip fastening
- 65% polyester/35% cotton
- Cotton 190g and wadding 200g
- Navy

Code	Size		Size	
376678	Medium			
376686	Large			
376694	Extra Large			



safety footwear

A. Softshell Jacket

- Stylish and innovative jacket offers a windproof, water-resistant breathable membrane with the added luxury of a bonded micro polar fleece
- Material stretches for added freedom of movement
- 94% polyester, 6% spandex, 160g and bonded with 100% polyester micro polar fleece 150
- Charcoal/black

Code	Size	
376718	Medium	
376726	Large	
376734	Extra Large	

B. Arbroath Fleece Lined Jacket

- Luxury feel microfibre peach finish is twinned with a 280g fleece lining that keeps in heat and feels comfortable to wear
- Features include double storm flaps, drawstring hood and waist and lower zip pockets
- Navy

Code	Size	
103616	Medium	
103617	Large	
103618	Extra Large	

C. DeWALT Waterproof Jacket

- · Micro fleece lining
- Removable hood in collar
- Waist adjustment
- · Hook and loop wrist adjustment
- Internal phone pockets and document pocket
- Black

Code	Size	
372444	Medium	
372452	Large	
372460	Extra Large	

D. Argyll Heavy Fleece

- Ideal for most seasons due to the traditional, uncomplicated design and quality anti-pill finish
- 400g fleece is comfortable to wear and ensures that heat is locked in
- Zipped pockets
- 100% polyester

Code	Size	
Navy		
376378	Medium	
376386	Large	
376394	Extra Large	
Black		
376401	Medium	
376468	Large	
376475	Eytra Large	

E. Euro Work Polycotton Coverall

- Two chest pockets, one rule pocket and a concealed stud front
- + 65% polyester and 35% cotton
- Navy

Weight: 210g

Code	Size
375966	Medium
375974	Large
375982	Extra Large
375990	Extra Extra Large







A. Combat Trousers

- Constructed from rugged, pre-shrunk Kingsmill fabric and designed to take on the toughest jobs
- Multiple utility pockets with hook and loop flaps for added security

Weight: 245g

Code	Description	Waist (inches)
Navy		
376004	Regular	32
376012	Regular	34
376020	Regular	36
376038	Regular	38
376045	Regular	40
376223	Tall	32
376231	Tall	34
376298	Tall	36
376304	Tall	38
376312	Tall	40
Black		
376053	Regular	32
376061	Regular	34
376101	Regular	36
376118	Regular	38
376126	Regular	40
376134	Tall	32
376142	Tall	34
376150	Tall	36
376208	Tall	38
376215	Tall	40

B. Men's Action Workwear Trousers

- Superior comfort and functionality
- Made from quality polycotton
- Features multiple zip pockets, reinforced fabric at seat and knee areas with the added option of accommodating knee pads

Weight: 245g

Description	Waist (inches)
Regular	32
Regular	34
Regular	36
Regular	38
Regular	40
Tall	32
Tall	34
Tall	36
Tall	38
Tall	40
Regular	32
Regular	34
Regular	36
Regular	38
Regular	40
Tall	32
Tall	34
Tall	36
Tall	38
Tall	40
	Regular Regular Regular Regular Regular Tall Tall Tall Tall Tall Regular Regular Regular Regular Regular Regular Regular Regular Tall Tall Tall Tall

C. Ladies Action Trousers Navy

- Trousers tailored specifically to the female form
- Double-ply fabric is applied to hard-wearing areas
- Addition of knee pad pockets make this garment extremely durable
- Regular leg length 31"
- Navy

Weight: 245g

Code	Size
558365	8/10
558373	12/14
558381	16
558398	18/20

high visibility workwear





combat pockets

A. DeWALT Pro-Tradesman Trousers

- 260g polycotton
- Cordura fabric holster pockets
- · Cordura fabric knee pad pockets
- · Combat pockets to both legs
- Hammer loop
- Two rear pockets
- · Triple stitched inside leg
- 32-40" waist
- · Leg length 31' and 33'
- Black

Code	Size	Leg Length
372348	32"	Regular
372355	34"	Regular
372363	36"	Regular
372371	38"	Regular
372388	40"	Regular
372396	32"	Tall
372403	34"	Tall
372411	36"	Tall
372428	38"	Tall
372436	40"	Tall





B. Knee Pad

- Suitable for use with workwear trousers
- · Ethylene-vinyl acetate
- Black

Size 215x165mm

374451

C. Classic Rain Jacket & Trousers

- Certified to EN343 Class 3.1
- · Designed to be worn in foul weather conditions, practical as well as comfortable
- · Easily rolled up and stored away
- · Navy

Trousers

- · Lightweight and easily packable for convenience, these trousers provide comfort and protection in any
- · Roomy fit for easy layering on top of trousers, with the added benefit of side access pockets
- Stud adjustable hem ensures a secure fit around work boots
- · 100% polyester and PVC-coated
- Navy Weight: 150g

Code	Size
Jacket	
374873	Medium
374881	Large
374898	Extra Large
Trousers	
374792	Medium
4036369	Large
374865	Extra Large







Your Guide to High Visibility Wear


Under the Roads and Street Works Act and in accordance with Chapter 8 of the Traffic Signs Manual 1991, all employers must provide the right protective clothing for their workers. High Visibility Clothing must be of standard BSEN471:1994.

Class ratings

Class 1 offers the minimum level of protection required by any persons working on a private road or to be used in conjunction with a higher classed garment, incorporating a minimum of 0.14m² of background material and 0.13m² of retro-reflective material.

Class 2 is required for any persons working on or near A or B Class roads and delivery drivers, incorporating a minimum of 0.50m² of background material and 0.13m² of retro-reflective material.

Class 3 offers the highest level of protection and is required by any persons working on or near motorways, dual carriageways and airports, incorporating a minimum of 0.80m² of background material and 0.20m² of retro-reflective material.



7 www.aztechi



A. High Visibility Vest

- Certified to EN471 Class 2
- 100% polyester

B. High Visibility Waistcoat Orange

- Specialist anti-tangle vest has been designed as a comfortable and safe garment for track side use
- Elasticated back and zip fastener
- · Certified to EN471 Class 2.2, GO/RT 3279
- · 100% polyester



- High visibility band yellow vest with visitor printed on the rear
- · Certified to EN471 Class 2.2
- 100% polyester







Code	Size
885657	Small/Medium
885665	Large/Extra Large
885673	XXL-XXXL

Code	Size
375893	Medium
375918	Large
375925	Extra Large

Code	Size
105554	Small/Medium
105557	Large/Extra Large
105558	XXL/XXXL

D. Fire Warden Vest

- 'Fire Warden' logo on front and back
- Certified to EN471 Class 2
- 100% polyester

'fire warden' logo on front and back



Code	Size
103600	Medium
103601	Large
257707	Extra Large

E. High Visibility Two Band & Brace Jerkin Jacket Yellow

- · Adjustable hook and loop fastening
- Certified to EN471 Class 3.2
- 100% Polyester



Code	Size
375788	Small/Medium
375828	Large/Extra Large







whether for work or for leisure, this will keep you comfortable, warm, and above all, visible and safe!









Specification:

There are three classes of garment type based on the levels of conspicuity they provide. On all garments the retroreflective tape must not be less than 50mm wide. Garment selection is based on risk assessment and the task in hand.

Class 3 - Highest level of conspicuity Class 2 - Intermediate protection

Class 1 - Low level protection

A. High Visibility Mesh Lined Fleece Yellow

- Whether for work or for leisure, this will keep you comfortable, warm, and above all, visible and safe
- Fully certified to EN471 Class 3:2 and features a full front zip and two side zip pockets
- 100% polyester anti-pill finish, 300g body and nylon mesh 60g

Code	Size
4036376	Medium
375844	Large
375852	Extra Large

B. High Visibility Coat

- Woven polyester outer shell with a waterproof coating
- Heavy-duty two-way zip and storm flap secured by press studs
- · Concealed hood under the collar
- · Conforms to EN471 Class 3

Code	Size	
885711	Medium	
885738	Large	
885746	Extra Large	

C. High Visibility Bomber Jacket

- EN471 class 3:2 & EN343 class 3:1
- 100% Polyester, 300D Oxford weave with a stain-resistant finish
- PU Coated 190g, nylon 60g/wadding 170g

Code	Size
885770	Medium
885789	Large
885797	Extra Large

D. High Visibility Breathable Jacket Orange

- EN471 class 3:2 & EN343 class 3:3 and GO/RT 3279
- 100% polyester, breathable 300D Oxford Weave with a stain-resistant finish
- PU Coated 190g and 100% polyester mesh 60g

Code	Size	
375860	Medium	
375878	Large	
375885	Extra Large	

E. High Visibility Trousers Yellow

• Certified to EN471 Class 3.2 and EN343 Class 3.1

Code	Size
885886	Medium
885894	Large
885908	Extra Large

F. High Visibility Breathable Trousers Orange

- EN471 class 2:2 & EN343 class 3:3 and GO/RT 3279
- 100% polyester, 300D Oxford Weave with a stainresistant finish and PU Coated 190g


Code	Size
375933	Medium
375941	Large
375958	Extra Large






Selecting the right apparel


To increase productivity and cost-effectiveness, workers must be able to work comfortably and safely, being protected against a broad spectrum of possible hazards. Use the apparel selector in order to determine the right garment for the right task.



The selector is a guide only. It is the responsibility of the employer to make sure the apparel is suitable for its intended use. We suggest that you always check the latest version of KIMBERLY-CLARK PROFESSIONAL* product literature to get more information about the products or contact INFOFAX Service by emailing infofax@kcc.com.

European guidelines within CE Complex help users identify the correct garment for the task. This information enables you to decide which product is suitable for your use.





Liquid tight clothing Type 3 Spray tight clothing

Type 5 Particle protection Type 6

Limited splash protection Partial body protection



















A. KLEENGUARD* A40 Liquid & Particle Protection Hooded Coveralls

- Suitable for process critical production such as pharmaceutical industries, manufacturing, utilities, electronics, agriculture and paint spraying
- Film laminate technology provides an outstanding barrier against a wide range of chemicals
- Particle protection holds out 99% of fibres greater than 1 micron
- Strong triple stitched seams help protect against tearing
- · Anti-static EN 1149-1 for critical areas

Code	Size
150732	Medium
150775	Large
150805	Extra Large
150864	Extra Extra Large

B. KLEENGUARD* A50 Breathable Splash & Particle Protection Coveralls

- Protection against chemical splash and particles
- Durable SMS Fabric with additional treatment for increased protection against chemical splash
- Low lint fabric and internal seams reduce the risk of fibre contamination
- · Silicone-free, ideal for paint spraying

Code	Size
262542	Medium
262568	Large
262583	Extra Large
262698	Extra Extra Large

Protective Workwear ←——





A. 3M™ Coverall 4540

- Ideal for light duty maintenance and asbestos handling
- Breathable back panel
- Knitted cuffs
- Protective coverall type 5/6

Code	Size
690532	Medium
690249	Large
170901	Extra Large

B. KEEPsafe Short Life Hooded Coverall

- Disposable hooded coverall
- · Light protection from dirt and grease
- · Polyproplylene, zip front
- · Elasticated hood and cuffs

Code	Size
124827	Medium
124828	Large
124829	XL
124830	XXL
124833	XXXL

C. KEEPsafe Elasticated Coveralls

- Combining strong chemical protective coverall with the added benefit of better breathability
- Microporous film, laminate SMMS, fabric on back panel helps reduce body heat, vapour and build up
- · Elasticated waist, wrists and ankles

Code	Size
124819	Medium
124821	Large
124822	XL
124825	XXL
124826	XXXL

D. Disposable White Overshoes

- Microporous polypropylene fabric
- Type 6 (PB), EN13034 limited splash protection
 One size

Code	Pkd
376742	25 pairs

hand protection









35 www.aztechizat.az





Safety Footwear Guide

The European Safety Footwear Standard EN345 has been superseded by EN ISO 20345. Any footwear that has been tested to EN345 can continue to be sold, however, any new designs or moulds will have to be tested and conform to the new standard.

Coding Classification

SB:	Safety Basic: 200 joule
	impact toe protection
S1:	SB+ Closed heel area. Anti-station
	Energy absorbing heel area
S2:	S1+ Water resistant upper
S3:	S2+ Penetration safety.
	Cleated-out sole (tread)

Foot size conversion

AZE	3	4	5	6	7	8	9	10	11	12
European	36	37	38	39	41	42	43	44	46	47

to 300°C

Additional Safety Features:

Р	Penetration safety
С	Conductive footwear
Α	Anti-static
HI	Heat insulation
CI	Cold insulation
E	Energy absorbing hee
WRU	Water resistant upper
HRO	Heat resistant out sole

WR Waterproof footwear
PU Polyurethane
TPU Thermal polyurethane

A. Oxford Shoes S1 SCR

- Professional safety shoe suitable for all workers providing comfort as well as sturdiness
- Comprehensive protection with 200 joule steel toecap, composite midsole and a slip-resistant, energy absorbent heel
- Split buffalo leather
- PU/TPU outsole
- EN ISO 20345:2004 + A1:2007

Code	Size
372906	7
372914	8
372922	9
372930	10
372988	11
372996	12

B. Steelite™ Protector Safety Shoes

- · Robust and comfortable safety shoe
- Comprehensive protection with 200 joule steel toecap, steel midsole and a slip-resistant, energy absorbent heel
- · Split buffalo leather
- · PU/TPU outsole
- EN ISO 20345:2004 + A1:2007

Code	Size	
107073	6	
885932	7	
885940	8	
885959	9	
885967	10	
375414	11	
375422	12	

C. Apache Black Suede Trainers

- Steel toecap and midsole
- Padded collar and tongue
- Scuff trim
- Chemical/oil-resistant sole
- Shock absorption sole
- · Anti-static
- PU dual density sole/200°C sole temperature
- Safety rating S1P/SRA

Code	Size
556933	3
556941	4
556958	5
556966	6
372703	7
372711	8
372728	9
372736	10
372744	11
372752	12

D. Steelite[™] Safety Trainer

- EN ISO 20345:2004 + A1:2007
- Popular product that is modern and stylish while incorporating comfort and performance with a rugged construction making it ideal for all workers
- Steel midsole and anti-static petro-chemical resistance, providing excellent protection for your feet
- Split buffalo Leather
- PU/TPU outsole

Code	Size
886157	7
886165	8
886173	9
886181	10
375666	11
375674	12





A. Grey Suede Safety Trainer / Hiker Boot

- · Grey suede safety hiker
- Steel toecap protection
- Penetration-resistant steel midsole
- Anti-static
- · Anti-scuff toe guard
- · Polyurethane dual density out sole
- Oil-resistant out sole
- · Safety rating S1P/SRC

Code	Size
557264	5
557272	6
557280	7
557298	8
557338	9
557345	10
557353	11
557361	12

B. Steelite™ Protector Chukka Boot

- Ideal safety chukka boot suitable for all workers in a host of trades, providing comfort as well as sturdiness
- Comprehensive protection with 200 joule steel toecap, steel midsole and a slip-resistant, energy absorbent heel
- · Split buffalo leather
- PU/TPU outsole
- EN ISO 20345:2004 + A1:2007

Code	Size	
107146	3	
107147	4	
107148	5	
107149	6	
375236	7	
885991	8	
886009	9	
886017	10	
375300	11	
375318	12	

C. Dr. Martens Chukka Boot

- ICON composite safety boot
- Traditional Dr. Martens safety footwear with composite toe cap/midsole
- All leather upper
- Dr. Martens air cushioned sole unit offering good foot support with heavy duty commando sole

Code	Size	
125105	7	
124944	8	
124945	9	
124949	10	
124951	11	
125106	12	

D. Derby Boots

- Worksite black leather derby boot
- Steel toecap and midsole
- Padded collar and tongue
- · Chemical/oil-resistant sole
- Shock absorption
- Anti-static
- PU dual density sole/200°c sole temperature

Code	Size	
372760	7	
372800	8	
372818	9	
372825	10	
372833	11	
372841	12	













A. DeWALT Wheat Nubuck Hiker

- · Lightweight nubuck flexi hiker
- · 200 joule toecap
- Antibacterial in-sole with dual density seat region for shock absorption
- EVA rubber sole resistant to 300°C
- · Chemical-resistant
- Oil-resistant

Code	Size
373001	7
373026	8
373034	9
373042	10
4036307	11
373068	12

B. DeWALT Maxi 6 Safety Boots

- Maxi safety boots with steel midsole for under foot protection
- · Black leather upper
- · 200 joule toecap
- Antibacterial in-sole with dual density seat region for shock-absorption
- PUR sole resistant to 300°c
- Chemical-resistant
- · Oil-resistant

Code	Size
373075	7
373083	8
373091	9
373108	10
373115	11
373123	12

C. DeWALT Explorer Wheat 6 Safety Boots

- · Honey nubuck upper
- 200 joule toecap
- Antibacterial in-sole with dual density seat region for shock-absorption
- Steel midsole for under foot protection
- PUR sole resistant to 300°c
- Chemical-resistant
- Oil-resistant

Code	Size
372282	7
372290	8
372306	9
372314	10
372322	11
372330	12

D. Worksite Black Leather Mid Cut Boots S1P

- Steel toecap and midsole
- Padded collar and tongue
- Reflective flash
- · Chemical/oil-resistant
- Shock-absorption
- · Anti-static
- PU dual density sole/200°c sole temperature

Code	Size
372566	7
372574	8
372582	9
372590	10
372606	11
372614	12





Safety footwear guide

The European Safety Footwear Standard EN345 has been superseded by EN ISO 20345. Any footwear that has been tested to EN345 can continue to be sold; however, any new designs or moulds will have to be tested and conform to the new standard.



tan fur lined





A. Worksite Black Leather Dealer Boots S1P

- Steel toe cap and midsole
- PU dual density Sole/200°c sole temperature
- Chemical/oil-resistant sole
- Shock-absorption
- · Anti-static

Code	Size
372622	7
372630	8
372648	9
372655	10
372663	11
372671	12

B. Worksite Rigger Boots S1P

- Tan fur lined rigger boot with steel midsole
- Fleece lined
- · Padded ankle region
- · Steel toe cap and midsole
- PU dual density sole/200°c sole temperature
- Chemical/oil/water-resistant sole
- · Shock-absorption sole
- Anti-static

Code	Size
4036382	7
372518	8
372525	9
372533	10
372541	11
372558	12

C. Steelite™ Safety Wellington Boot S5

- Manufactured from PVCNITRILE for a seamless watertight construction
- 200 joule steel toe cap, slip-resistant, with a pierceresistant midsole. and anti-static features
- Washable nylon lining and kick off spurs make these wellingtons safe for use in a wide range of environments
- EN ISO 20345:2004 + A1:2007

Code	Size
375430	7
375488	8
4036503	9
375503	10
375511	11
375578	12

Our new Healthcare range

a single source solution for healthcare providers

We are acutely aware of the economic pressures facing the healthcare industry, so it is more important than ever that cost savings and efficiencies are achieved. This makes it essential for healthcare professionals to work with suppliers they can count on to deliver reliable services and quality products.

With our fast and flexible delivery service we can provide essential, non-medical supplies for the following industries:

- Hospitals
- Doctors Surgeries
- Vets
- Care Homes & Supported Living
- Community Centres & Trusts



From office supplies and catering & janitorial products, to health & safety and workwear & PPE, we have everything your organisation needs in one place, reducing the time and hassle you spend on procuring your supplies.

You can view a selection of our new Healthcare products on pages 281-286 or contact us for more information on our full Healthcare range.

44 www.aztechizat.az



A. Steelite™ Slip-on Hygiene Safety Shoes S2

- Slip-resistant and self-cleaning outsole which prevents cross contamination due to material being lodged in the sole tread of the footwear
- Specially designed for clean room, medical and food industries
- Microfibre
- PU outsole
- EN ISO 20345:2004 + A1:2007

Code	Size
375082	4
375090	5
375106	6
375148	7
375155	8
375163	9
375171	10
375203	11
375228	12

B. Huntingdon Shoes

- Provides comfort when standing and walking for long periods
- · Water resistant action leather upper
- · I-Shield ultimate protection against liquid and dirt
- Water repellant and stay clean laces
- EVA midsole provide cushioning and impact resistant properties
- · Anti-static outsole properties
- · Antibacterial textile lining
- Slip resistant
- Certifed to EN ISO 20347:2012 02 SRC

Code	Size
124993	7
124994	8
124995	9
24997	10
125000	11

C. Fairfax Shoes

- Fits like a running shoe and provides maximum comfort and protection
- · Water resistant action leather
- Antibacterial textile lining
- I-Shield ultimate protection against liquid and dirt
- Composite Safety Toe
- EVA midsole provides cushioning and impact resistant properties
- Anti-static outsole properties
- Slip resistant
- Certifed to EN ISO 20345:2011 02 SRC

Code	Size
125007	7
125008	8
125009	9
125010	10
125011	11

D. Iris Shoes

- Providing ultimate comfort during long shifts
- · Water resistant action leather
- · Antibacterial textile lining
- I-Shield ultimate protection against liquid and dirt
- Velcro strap fastening
- EVA midsole provide cushioning and impact resistant properties
- · Anti-static outsole properties
- · Slip resistant
- Certifed to EN ISO 20347:2012 02 OB A E FO SRC

Code	Size
125014	3
125015	4
125016	5
125017	6
125018	7



E. Dahlia Shoes

- Comfort and style for work and leisure
- Water resistant action leather upper
- · Antibacterial textile lining
- I-Shield ultimate protection against liquid and dirt
- Water repellant stay clean laces
- EVA midsole provide cushioning and impact resistant properties
- Anti-static outsole properties
- · Slip resistant
- Certifed to EN ISO 20347:2012 02 SRC

Code	Size
25019	3
25022	4
25023	5
25024	6
25025	7

F. Jasmine Shoes

- Designed to offer comfort
- Water resistant action leather
- · Antibacterial textile lining
- I-Shield ultimate protection against liquid and dirt
- Composite safety toe
- EVA midsole provide cushioning and impact resistant properties
- Anti-static outsole properties
- · Slip resistant
- Certifed to EN ISO 20345:2011 02 SRC

Code	Size
125026	3
125027	4
125028	5
125029	6
125030	7

















A. Clear Vinyl Gloves

Clear Vinyl Powdered Gloves

- CE categorised as CE Simple Design for minimal risk only and conform to the EC Food Directive EC/1935 2004
- Suitable for use in a food hygiene environment

Clear Vinyl Powder Free Gloves

- · Disposable gloves
- · No latex proteins eliminates protein sensitisation
- Rolled cuff for additional strength and prevention of roll back
- Protection against contamination, dirt and irritants in low risk situations

Code	Size	Pkd
Powdered		
830461	Small	50 pairs
830488	Medium	50 pairs
174358	Large	50 pairs
Powder Fre	ee	
4018297	Small	50 pairs
557994	Medium	50 pairs
558058	Large	50 pairs

B. Blue Medical Grade Nitrile Examination Gloves

- Beaded cuff for added strength and easier donning
- Powder free to reduce potential dust contamination
- Very strong and a high quality flexible glove
- · Flexible material for improved feel and fit
- Textured to improve grip
- Low in residual chemicals
- Tear resistant
- · Latex free

Code	Size	Pkd
4017988	Small	200 pairs
4018094	Medium	200 pairs
4018266	Large	200 pairs

C. Disposable Blue Overshoes

Code	Size	Pkd	Price
4018400	14 inches	1000 pairs	£44.68
4018416	16 inches	1000 pairs	£44.68

D. Disposable White Overshoes

- Microporous polypropylene fabric
- Type 6 (PB), EN13034 limited splash protection
- · One size

Code	Pkd	Price
376742	25 pairs	£11.35

E. Disposable Polythene Aprons & Dispenser

- Protects your clothes
- · Roll of 200 aprons

Code	Colour	Price
Apron Ro	II	
134934	White	£21.12
378693	Blue	£21.12
Wall-mou	ntable Dispenser	
134942	White	£29.29



A. Medimax Silk Dry Touch Cleansing Wipes

- A cost effective, soft, strong, highly absorbent dry patient wipe for all types of healthcare establishments
- · Ideal for use as a disposable flannel or towel
- Can be used in conjunction with soaps

Code	Wipes	Pkd
125058	80	35

B. Body Fresh Wet Cleansing Wipes

- · A high quality soft and strong wet wipe
- Ideal for skin cleaning in areas where no access to wash facilities exist
- A pleasant baby powder fragrance leaves skin refreshed and clean

Code	Wipes	Pkd
125059	150	4

C. Medimax Surface Wipes

- A disposable wet wipe designed for the effective disinfection of all surfaces, preventing cross contamination in all healthcare areas
- Medimax disinfectant wipes are effective against gram positive and gram negative bacteria, viruses and fungi including H1N1: salmonella, listeria, e-coli, Staphylococcus aureus, c-difficile, MRSA, candida albicans, aspergillus niger
- Medimax Sanitising wipes are tested and approved to European norms EN1276 bactericidal and efficacy EN1650 fungicidal activity
- Single use to prevent the risk of cross contamination

Code	Wipes	Pkd
125060	200	6

D. Medimax Detergent Surface Wipes

- A disposable wet wipe designed for the effective cleaning of all surfaces within hospitals and healthcare environments where sanitisers cannot be used
- Detergent formulation contains no alcohol making it ideal for use on beds, mattresses and most other surface cleaning applications
- Single use reduces the risk of infection

Code	Wipes	Pkd
125061	150	4

E. Sanisafe Probe Disinfectant Wipes

- Probe wipes eliminate cross contamination with a single stroke, killing off all potentially lethal bacteria from passing from one product to another
- Safeprobe wet wipes are effective against gram positive and gram negative bacteria, viruses and fungi including: H1N1, salmonella, listeria, e-coli, Staphylococcus aureus, c-difficile, MRSA, candida albicans, aspergillus niger
- These Food Probe wipes are tested and approved to European norms EN1276 bactericidal efficacy and EN1650 fungicidal activity and are ideal for disinfection of small to medium food preparation surfaces, weighing scales, microwave ovens, utensils
- With the quick movement from raw to cooked foods in fast moving food environments, we have developed the safeprobe to have a rapid kill rate with proven efficacy within 30 seconds

Code	Wipes	Pkd
125065	200	6





A. Tena

Tena Slip Plus/Super Small, Medium and Large Pads

- Designed for medium to heavy urine leakage
- All in one product designed to provide breathable protection for healthy skin and leakage security
- Available in a range of sizes and absorbency levels
- Suitable for all types of incontinence

Tena Comfort Mini Super Pads

- Dry fast core locks away wetness
- Odour control prevents unwanted odours
- · Adhesive strip adds to security and comfort

Tena Comfort Normal, Plus, Extra and Super Pads

- Confioair allows skin to breathe
- To be worn with Tena fixation pants for body-close fit
- Unique bowl shape

Tena Fix Pants

- Ensures that the Comfort pads stay securely in place
- Seamless, soft and elastic material helps to avoid skin irritation
- Can be washed several times without losing shape

Code	Size	Pkd
Slip Plus		
125114	Small	90
125116	Medium	90
125118	Large	90
Slip Super		
125115	Small	90
125119	Medium	84
125117	Large	84
Comfort		
125123	Super Mini	168
125120	Normal	126
125121	Plus	92
125113	Extra	80
125122	Super	72
Fix Pants		
125124	Small	5
125125	Medium	5
125126	Large	5
125127	X Large	5
125130	XX Large	5



B. Hygiene Rolls

- 130 two-ply sheets
- · 100% recycled

Code	Core Size (inches)	Sheet Size (mm)
883700	10	251x457
843496	20	508x457



C. 5 Star™ Bulk Pack Toilet Tissue & Dispenser

5 Star™ Toilet Tissue Dispenser

- Suits a wide variety of toilet tissue brands and fits multiflat or bulk-pack papers
- Easy to fit, simple to restock and effortless to maintain
- · White

WxDxH: 150x130x275mm

936674

5 Star™ Bulk Pack

- Two-ply
- 250 sheets per pack
- Packed 36

CPD36250ST



need more dispensers or refills?





A. Refuse Sacks

Clear Refuse Sacks

- · Suitable for medium-duty use
- 200 per box

WxDxH: 430x735x975mm

Black Economy Refuse Sacks

- · Suitable for medium-duty use
- 200 per box

WxDxH: 450x735x864mm

Code	Capacity (litres)	Microns	
Clear Refuse Sacks			
871168	110	33	
Black Economy Refuse Sacks			
481374	95	18	

B. Clinical Waste Bags

- Bi-Modular clinical waste bag produced and printed according to all UN requirements
- Packed 500
- 10 rolls of 50 bags
- · Capacity: 90 litres

WxDxH: 381x711x990mm

Code	Capacity	Colour		
Medium-duty				
125051	Up to 8kg	Orange		
125053	Up to 8kg	Yellow		
Heavy-du	ty			
125052	Up to 12kg	Orange		
125057	Up to 12kg	Yellow		

C. Laundry Bags

- Medium-duty laundry bags designed with a special strip that dissolves when in contact with water
- A hygienic solution to handling soiled laundry and avoid double handling of dirty linen
- Flat Pack
- Packed 200

WxDxH: 457x762x711mm

Code	Capacity (litres)	Colour
125045	50	Clear
125050	50	Red
125049	80	Red

D. Urinal Bowl

- Smooth finished opening to enable easy pouring and for ergonomic purposes
- Made of recycled and disposable pulp material
- Designed for bedside urinal holder
- · Suitable for disposal in any macerator
- · Controlled pouring to ease handling
- Added waterproofing
- Easy to carry when full

Code	Size	Pkd	
125069	875ml	100	

E. General Bowls

- General purpose made of recycled and disposable pulp material with added waterproofing
- Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination
- Pulp product made of recycled materials and disposable through macerators
- Cover lids for added infection control and hygiene
- Steady when standing due to flat bottom surface
 Strong sides so able to support weight of
- Strong sides so able to support weight of contents when full
- Easy to store (product is stackable) and carry when full

WxDxH: 185x240x80mm

Code	Size	Pkd
125068	1 Litre	200

















Katrin Easy Pick

Now with enhanced pack opening so you can see what's left instantly

The Katrin Easy Picks are self-contained sleeves of hand towels which are highly mobile but always protected from moisture, dirt or germs.

The built in dispenser is easy to open and use; the new wider opening ensures that you never touch the inside of the pack thus eliminating cross contamination, and the new larger towel width gives a much larger drying surface area so one towel will always be enough.

You can find our range of Katrin towels and toilet tissue on page 83.



124931WL







124932WL

AZTECHIZAT offers a special workwear for you!



We'll make sure you're dressed for business

AZTECHIZAT offers a completely bespoke workwear and corporate clothing solution. Our clothing ranges are as divers as our customers' needs, so whether you're looking for a tabards or safety goggles, hugh visibility jacket or silver service uniform, we stock an extensive range of high quality, competitively priced garments including both branded and

Embellishment options

We understand that first impressions count. AZTECHIZAT can personalise your garments using a range of finished, increasing awareness of your brand.

- Embroidery
- Screen printing
- Heat transfer printing

48 www.aztechizat.az

Streamline your business with our consolidated workplace solution!

We understand the challenges that many businesses face today with their existing suppliers, so when you partner with **AZTECHIZAT** team you will receive a bespoke service that you can rely on that is tailored to your business.

You'll gain more control your indirect costs.

AZTECHIZAT can offers you everything you need for your office and workplace environment, we cater for all industry sectors including retail, healthcare and facilities management.

Our free nationwide delivery infrastructure means you can get more of what you want when you need it.

We provide tailor mace packages for our customers, which induces delivery direct to your workplace, desk or even hospital wards.



Throughout our catalogue we've made a point of providing you with relevant guidance to help ensure you can select the product most relevant to your needs, plus there's even more information available on our products...

Our catalogue showcases just a selection of the products we provide. On request can be offered alternative products.

49 www.aztechizat.az

NEWEST!

In Catering we are expanding the range of snacks to include branded favourites. We have extended our range of your favourite condiments to include single serve portions, which are a more hygienic option for the workplace.

Our Cleaning, Hygiene and Washroom ranges have improved through the introduction of more lines offering you great value for money on everyday essentials for the workplace.

Legislative updates require a constant review of your **Waste Management** strategy, our new range additions ensure that you will be able to find a solution to meet your needs. The **First Aid** section has expanded with more specialist products.

Our **PPE & Workwear** section has expanded with many new editions including brands. Our new range of Healthcare products provides all the essentials for healthcare environments.



OUR OPERATING AREAS

BAKU

A. Guliyev st. 1130 T.: +99450 291 5007

SHAMAKHI

Azadlig st. T.: +99450 291 5009

SALYAN

S.I. Khatai st. T.: +99450 291 5002

GANJA

Javadkhan st. T.: +99450 291 5003

YEVLAKH

R. Behbudov st. T.: +99450 291 5006

MINGACHEVIR

S.I. Khatai st. T.: +99450 291 5011

